

Compulsory Vaccination:

IT'S HERE!

**by Meryl Dorey,
Australian Vaccination Network
Informed Voice Magazine**

COMPULSORY VACCINATION

- Now playing at a hospital, university or doctor's surgery near you!
- February 2007, NSW became the first state to mandate full vaccination (10 required vaccines) for all medical staff and allied health students. Failure to comply will result in expulsion from school or loss of employment/transfer to another area of the facility if that area exists.

July 2007 – jump on the bandwagon

- All other Australian states and territories have now introduced similar policies for their health students. Hospital policies will follow shortly.

What does this mean?

- 5 out of the 10 required vaccines contain live viruses which will put vulnerable hospital patients at risk.
- Staff and students who can think for themselves and who question authority will no longer be in the health system.
- The list of required vaccines is sure to increase – just as the childhood vaccination schedule is increasing. How many vaccines will be enough?

Who's next?

- This policy was introduced to supposedly protect patients from infection from nurses and doctors.
- This despite the fact that there have never been any cases notified where unvaccinated hospital staff have spread infection.
- **There have however been several cases where fully vaccinated staff have!**

Follow this to its logical conclusion..

- First we require hospital staff to be vaccinated to protect the patients.
- Then, we have to vaccinate the patients to protect the fully vaccinated staff.
- Next, teachers will have to be vaccinated to protect vulnerable vaccinated students.
- Then, the students to protect the teachers.

WHO WILL BE NEXT?

**YOU AND YOUR
FAMILY!**

Death from compulsory vaccination

- A nursing sister from northern NSW contacted us after being forced to receive the MMR vaccine under threat of losing her job.
- She had been injured by a previous dose of Hep B.
- Was suffering from Chronic Fatigue and was not recovered.
- Immediately, she suffered a relapse and spent weeks off of work.
- Within 3 months, was diagnosed with cancer and had her lymph nodes removed. Biopsies showed measles virus in the tissue.
- Several weeks later, she passed away.
- She was only 25 years old.

Successful Workers' Compensation Claims

- There have been several successful claims in NSW by nurses who have been permanently injured as a result of vaccinations they were told to have for their jobs.
- Now that vaccination is compulsory, we will see a flood of these claims and an avalanche of injured workers – in an already overstretched and understaffed sickness system.

US VACCINE MAKER TARGET OF HOMOCIDE INVESTIGATION

In a criminal case guaranteed to send shockwaves throughout the international pharmaceutical industry, French authorities are targeting a US-based drug company and its executives in a homicide investigation.

The multi-billion dollar corporation GlaxoSmithKline and one of its key executives are facing possible manslaughter charges stemming from allegations that the company failed to fully disclose side effects from an anti-Hepatitis "B" vaccine distributed between 1994 and 1998.

Campaign to protect your rights!

The AVN have produced postcards which can be sent to politicians, the media and distributed to friends, family and others who need to know about this issue.

You can receive a supply of these cards as well as addresses and even address labels via our website.

A donation is suggested but not required.

www.avn.org.au

Ten injections
or lose your job.
Call that a choice?

Compulsory vaccination.

Stabbing our
health care
workers in
the back.



Australian Vaccination Network
www.avn.org.au

Peter Doherty-
1997 Australian of the Year

Giving the anti-vaccination
lobby equal time to air its
views is akin to giving equal
time to murderers.

1- Vaccines have never been tested.

The gold standard of all medical science is the double-blind crossover placebo study whereby one group is given a treatment (eg – a vaccine) and another group is given a placebo (sugar pill, saline solution injection).

In over 200 years of vaccination history – this sort of study has never been performed on ANY vaccine! The government claims that vaccines are ***assumed*** to be safe and effective and therefore, it would be unethical to leave one group ‘unprotected’ for the sake of testing them.




2- Vaccines contain toxic additives and heavy metals.

- Mercury
- Aluminium phosphate
- Formaldehyde
- Carbolic Acid
- Antibiotics
- Bovine gelatine
- Animal viruses
- Animal bacteria



3- Vaccines are contaminated with human and animal viruses and bacteria



- All vaccines are cultured on animal or human tissue – the only exceptions are the Hep B and HPV vaccines which are genetically engineered.
- These viruses may be combining with our own DNA to form new diseases such as HIV, Ebola virus and Hansa virus to name just a few.
- Some of these viruses (SV-40, Simian foamy virus, etc.) have been linked with human cancers.
- At least 60 known monkey viruses contaminate both oral and injected polio vaccines.
- Some vaccines are cultured on aborted human foetal tissue (MMR, Chicken Pox, Injected Polio, etc.).

4- Vaccines can cause serious immediate side effects.



Robert, reacted to a Hep B vaccine he was given as a pre-teen. Within 24 hours, he had changed completely.

He is paralysed and has serious behavioural and emotional issues which were not evident before his vaccination.

Robert was in a gifted class at school and excelled with his work. Now, he has trouble reading, performing basic mathematics and has severe short-term memory loss.

He is blind in one eye and has motor and coordination difficulties.

All of these conditions developed within days of Robert being vaccinated.

Identical Twins- permanently brain damaged

Katrina and Karen were born perfectly normal. They had no obvious reaction to their first triple antigen shot but after their second, they both suffered severe seizures after which their doctor said they should never again be vaccinated.

Their mother brought them to hospital at the age of 5.5 months one of the twins had an infection. The doctor there insisted on vaccinating them both and they immediately suffered seizures which they did not recover from.



5- Vaccines can cause serious long-term side effects

Joshua was born in 2001 and started fitting 4 hours after his second DPT injection.

Despite the fact that he was never vaccinated again, today he cannot read, write, dress himself, is unaware of danger and cannot go out in public without his mother holding onto him tightly. His mental age is just 3.



Luke Wilson

Luke was a normal, healthy 22-month old child when he received the MMR vaccine. 6 days later, he complained of a sore head. He subsequently became limp and lifeless. Three days later, he was dead. His doctor admitted that he had died from his vaccination but refused to put that information on his death certificate.




6- Vaccines do not necessarily protect against infectious diseases.


- We are told that vaccination was the main cause of the decline in mortality from infectious diseases this century. But as you can see from the following graph, this is certainly not the case:

The following graphs are plotted using figures from the Commonwealth Year Book, the Australian Bureau of Statistics and the Commonwealth Department of Health and Human Services. The arrows indicate where universal routine vaccination programmes began.
 Source - *Vaccination: A Parent's Dilemma* by Greg Beattie


Whooping Cough




Diphtheria




Polio




Measles



Scarlet Fever



Typhoid Fever



7- Doctors, as paid salesmen for vaccine products, are no longer considered to be trustworthy arbiters of their safety and effectiveness.

Since 1998, with the advent of the GPPI (General Practice Immunisation Incentive), doctors have been paid a bounty based upon how many children they fully vaccinate. They receive:

- \$ \$6 each time they report that a child has been vaccinated to the Australian Childhood Immunisation Register;**
- \$ \$18.50 in addition to the Medicare rebate of \$21.50 if they vaccinate a child within 1 month of when the vaccination was due.**
- \$ A bulk payment which could equal tens of thousands of dollars if they achieve a vaccination rate of 90% or more for the children in their practice.**

Doctors lose these payments if the children in their practice are not vaccinated. Therefore, many families in Australia are being asked to go elsewhere by their GPs as tending to them is costing the practice money.

8- Pharmaceutical companies have paid for almost all vaccine research to date.

Since the mid-1980's, almost all vaccine research has been paid for, either in whole or in part, by the company producing the vaccine.

The TGA (Therapeutic Goods Administration) does NO independent testing of any vaccines.

Almost all safety and effectiveness data is obtained from researchers who are paid by drug companies. In many cases, if the results are not favourable, the study is never submitted for publication.

COUNTERTHINK



9 - Doctors and health professionals rarely if ever report vaccine reactions.

- ADRAC (The Adverse Drug Reactions Advisory Committee) admits that less than 10% of reactions are ever reported. This means that the safety data on vaccination is at least 90% incorrect.
- The AVN runs a national toll-free reaction-reporting hotline – 1800 007 468. Despite the fact that we have never had funding to advertise this service, since 2002, we have reported more reactions to ADRAC than all the doctors in Australia combined.

10- Some childhood illnesses have beneficial aspects and therefore, prevention may not necessarily be in the best interests of the child.

- Measles- Called 'Gift from a Goddess' in Sanskrit, measles can help to mature the immune system, may help prevent auto-immune illnesses such as cancer, asthma and allergies in later life.
- Rubella- An extremely mild disease of childhood. If a woman gets rubella as a child, she develops life-long immunity which will protect her unborn child from the adverse effects of congenital rubella syndrome.

Autism

- Autism was first described by Kanner in the mid 1950's.
- Twenty years ago, it was estimated that 1 child in 20,000 was autistic.
- Today, the US State of California estimates that 1 child in 67 is now autistic.
- Andrew Wakefield, a British Gastroenterologist, was the first to publish in a mainstream medical journal regarding the links between vaccination and autism.
- Since his first article appeared in the Lancet in 1988, hundreds of other researchers have published studies verifying his hypothesis that changes to the gut, induced by vaccination, can lead to changes in the brain which we call Autism or ASD (Autistic Spectrum Disorder).

Federal Government Concedes Autistic Child Injured By Vaccines


DHHS officials have finally "conceded" that vaccines given in 2000 to a 19 month old boy with a pre-existing mitochondrial disorder did, in fact, cause brain inflammation that resulted in a spectrum of permanent brain dysfunction, including autistic behaviors. The child was given DTaP, Hib, MMR, Varicella and polio vaccines all at once and suffered classic vaccine reaction symptoms within 48 hours of the shots and subsequently regressed and was left with permanent disability, including autism.

Is the increase in Autism really due to better diagnosis?


- "To determine the frequency of routine laboratory abnormalities in similar patients, we performed a retrospective study including 159 patients with autism (Diagnostic and Statistical Manual of Mental Disorders-IV and Childhood Autism Rating Scale) not previously diagnosed with metabolic disorders and 94 age-matched controls with other neurologic disorders. Aspartate aminotransferase was elevated in 38% of patients with autism compared with 15% of controls ($P < .0001$). The serum creatine kinase level also was abnormally elevated in 22 (47%) of 47 patients with autism. These data suggest that further metabolic evaluation is indicated in autistic patients and that defects of oxidative phosphorylation might be prevalent. (J Child Neurol 2006;21:170—172; DOI 10.2310/7010.2006.00032 "

Slide 16


ENCEPHALOPATHY
BUREAU OF BIOLOGICS DATA




OTHER NEUROLOGICAL SYMPTOMS
BUREAU OF BIOLOGICS DATA




NON-FEBRILE CONVULSIONS
BUREAU OF BIOLOGICS DATA




FEBRILE CONVULSION
BUREAU OF BIOLOGICS DATA



DEATHS ALL CAUSES
BUREAU OF BIOLOGICS DATA



SIDS
BUREAU OF BIOLOGICS DATA



Cancer

- Vaccines contain known carcinogens (cancer causing substances). These include:
 1. Formaldehyde
 2. Aluminium
 3. Animal viruses such as SV-40
 4. Immortal cell lines

Immortal Cells

When viral vaccines were first being produced, the process was extremely time-consuming and expensive. Viruses require living tissue to reproduce and therefore, a steady supply of live animals was required whose organs could be used to 'grow' the virus needed for the vaccine.

Once the supply of these animals began to dry up, a new method needed to be found.

What the drug companies devised is a way to make cells 'immortal'. In other words, they don't go through the normal process of apoptosis which is a time of death and renewal/replacement by new cells.

Immortal cells will never die and therefore, the same cell lines can be used over and over again to produce vaccines, making the production process cheaper and easier.


When a living being has cells which reproduce without dying, we call that

CANCER



Antibodies vs Immunity

- When a vaccine is developed, it is tested for 'effectiveness' by checking those vaccinated for the development of antibodies. This is the ONLY medical indication to show it is worked.
- We have known since the diphtheria epidemics of the 1920s and 1930s that antibodies do NOT equal immunity.
- People with very high levels of serum antibodies have contracted diseases they are serologically immune to whilst people with low to no antibodies have had active bacteria in their bodies without any sign of infection.



"Doctors said that although the vaccine is experimental, it may prove to be an effective weapon against diseases caused by other vaccines."

Be informed – Be confident

- Know your facts and you can stand your ground.
- Believe in what you know to be true and nobody can budge you or make you feel guilty.
- Stand for something – or you will fall for everything!



What can you do?

- Join the AVN – we are fighting for your rights!
- Subscribe to Informed Voice magazine – the best way to protect yourself is to be fully informed.
- Write letters to politicians. Stop by our stand and leave us your email address. We will send you a facsimile letter and list of email address – too easy!



What else?

- Talk to family, friends, associates, loved ones and absolute strangers. The mainstream media will not touch this subject. Bypass it.
- Become informed – become a health activist.

How can you be informed?

- Read Informed Voice – subscribe today and for \$44, you will get a one-year subscription, a free back issue and a free copy of our book Vaccination Roulette.
- Read books (we have many great books on our stand)
- Read our information packs
- Watch a video or DVD



Join our free email lists

- Doing the Rounds – a monthly newsletter that will keep you up-to-date on all AVN events, actions that need to be taken and information you need to know.
- AVN yahoo group discussion list – give and get support from like-minded people all over the world.



Click here to
join the AVN
Discussion
Group

 **Sign up for Doing the
Rounds FREE newsletter!**

Privacy by  **SafeSubscribeSM**
For Email Marketing you can trust

COUNTERTHINK

THE BIRTH OF BIG PHARMA



CONCEPT-MIKE ADAMS ART-DAN BERGER

WWW.NEWSTARGET.COM

Margaret Mead

Never doubt that a small
group of committed people
can change the world.
Indeed, it is the only thing
that ever has.